

## OUR PRODUCTS

Built for Performance - Made with Pride

### Architectural

- Premium
- Proline
- Acri Guard
- Wonderglo Hi-Hide

### Industrial

- Industrial Enamel
- High-Solids Enamel
- Skythane

### Primers

- Astro-Galv
- Rynolite Etching Primer
- Lacquer Proof Primer
- Zinc Chromate Primer
- Red Lead Replacement Primer
- Zinc Chromate Ferric Oxide Primer
- Exterior/Interior - Oil & Latex

### Marine

- Old Sailor
- Daly's Wood Finishing Products

### Non-Skid Coatings

- Floor Grip
- Deck Safe

### Solvents

- Synthetic Thinner
- Lacquer Thinner
- Mineral Spirits
- Paint Stripper

### Specialty Products

- Zone Marking Paint - Oil & Latex
- High-Build Container Paint
- Ur Coat



BRANDS OF FARWEST PAINT MFG CO



**DALYS**  
WOOD FINISHING PRODUCTS

**Premium**

- Colors: White & Tints
- Sheen: Matte

Premium (8100) is a superior performing acrylic base latex enamel for general use on walls. High pigment retention when tinted to colors giving a full, rich looking color.

**Proline**

- Colors: White & Tints
- Sheen: Flat, Eggshell & Semi-Gloss
- LOW VOC

Proline (8300) is a LOW VOC latex enamel for general interior use on woodwork and walls.

**Wonderglo Hi-Hide**

- Colors: White, Tints 931
- Pigmented Modified Acrylic Latex Eggshell Enamel
- Ideal for general use on interior walls and woodwork

A high-hide acrylic base emulsion for general interior use on wood millwork and walls. Wonderglo provides excellent adhesion to new or previously painted surfaces and permanent flexibility with high alkali resistance. This is a premium quality interior acrylic designed to provide long lasting protection and beauty.

**Acri Guard**

- Colors: White 6000, Tints 60035
- 100% Acrylic Enamel
- Ideal for exterior wood, fiber cement board, stucco, concrete and masonry

A premium quality, 100% acrylic house paint for exterior surfaces. Acri Guard is easy to apply and covers most surfaces in one coat providing a breathable film for years of long lasting beauty and protection.

**Primers****Astro-Galv**

- Colors: Grey X-6948 & Red X-6946
- Rust Inhibiting
- Structural Steel Surfaces

A high solids alky primer for use on structural steel surface where durability combined with a fast dry condition is necessary, Astro-Galv is a high solids VOC compliant product which meets the stringent 3.5 lbs per gallon VOC requirements of various municipalities.

**Rynolite Etching Primer**

- Colors: White 1029, Grey 1021, Black 1030
- Use on Non-Ferrous Metals such as aluminum and copper

An alkyd rust-inhibiting etching primer. This product offers fast air drying, excellent adhesion, durability and easy application qualities. It is a complete ready-to-use primer that cuts through the typical thin layer of surface metal oxide and adheres well to the metal itself. Can be used on ferrous metals for general purpose.

**Zinc Chromate Primer**

- Color: Red X-1184
- Rust Inhibiting Red Oxide Primer
- Prime New or Rusted Metal

A fast-setting rust-inhibiting primer. It is based on zinc chromate-ferric oxide and anti-corrosion system. This primer binds rust to the metal and seals out rust causing air and water

**Red Lead Replacement Primer**

- Color: Red-Orange X-6748
- Rust Inhibitive Primer

A high-quality rust-inhibitive metal primer for structural steel and general maintenance use. Will tolerate light rust on a surface and provide excellent adhesion to a prepared surface. Bond coat for structural steel and other ferrous metal surfaces, marine industry as a primer for wood or metal surfaces, a marine caulking for wood.

**Lacquer Proof Primer**

- Colors: White X-4985, Red X-4959, Grey
- Ideal for Iron, Steel, Fiberglass or Wood Surfaces
- Phenolic Modified Alkyd Primer

A high grade phenolic modified alkyd type rust inhibiting primer. This product offers an excellent combination of properties including fast drying, good adhesion over properly prepared surfaces and good protection against rusting. It is a lacquer proof primer which means that the finish coats such as nitrocellulose lacquers may be applied directly over it without lifting or wrinkling.

**Zinc Chromate Ferric Oxide Primer**

- Colors: Yellow, Green TT-P-1757
- Zinc Chromate Phenolic Modified Alkyd Rust-Inhibitive Primer
- For aluminum aircraft, airborne equipment, iron or steel surfaces.

This is a very fast-drying primer designed as a corrosion-inhibiting product for use on aluminum aircraft or airborne equipment metal surfaces, either alone or before top coating with lacquer or enamel. TT-P-1757 is a balanced composition of special pigments and phenolic modified resin providing good rust-inhibitive properties and blister resistance for better adhesion and metal protection.

**Exterior Oil Primer**

- Colors: White (may be tinted) 7100
- Linseed Modified Oil Base Primer
- For use on wood surfaces in a marine environment such as; deck houses, freeboards, interiors, passageways, holds, cabinets, etc.

A top quality exterior primer designed to prime and seal new wood surfaces and weathered painted surfaces. It is a controlled penetrating primer made from linseed oil & alkyd combined with pure pigments. It is an ideal foundation for oil and latex coats.

## Industrial

For More Info Visit: [Farwestpaint.com](http://Farwestpaint.com)



### Industrial Enamel

- Colors: White 250, Tints 251/252, Mandarin Red 253, Forest Green 255, Dephinium Blue 257, Black 259, Canary Yellow 260
- Gloss Alkyd Enamel

This is an excellent equipment enamel finish which withstands all types of wather conditions. The fully cured finish can withstand repeated washing and normal everyday abuse. It has proven its performance in industrial and commercial maintenance fields.



### High Solids Enamel

- Colors: White X-6953, Black X-6955, Tints X-6960
- Acrylic Modified Fast-Drying Alkyd Enamel
- Moldings & Doors (exterior, if covered)

A quality direct-to-metal, high-solids, fast-drying gloss acrylic enamel. It has many features such as improved adhesion, superior exterior durability, gloss retention and excellent hardness. High Solids Enamel has good flexibility for better checking resistance with good flow out and leveling for spraying.



### Skythane

- Colors: White 1500, Clear 1515
- Non-Yellowing Acrylic-Aliphatic Urethane
- Use on ferrous metals, prepared steel, aluminum, concrete or wood.

A two component acrylic urethane finish designed for extra durability and resistane to strong chemicals such as; acids, alkalis, solvents, salty spray and corrosion over a variety of substrates. Suitable for use on interior or exterior surfaces.

## Non-Skid Coatings



### Floor Grip

- Colors: Black #220, Light Gray #222, Dark Gray #223, as well as unlimited range of tinted colors
- Acrylic Modified Alkyd Aggregate Coating
- For use on Steel, aluminum or concrete masonry

A non-slip, non-skid alkyd aggregate coating. It contains a special aggregate combination which withstands rough weather conditions and daily wear and tear. Can be used on decks, porches, walways, ramps, steps, boat decks, bridgeways, and numerous other industrial applications.



### Deck Safe

- Colors: Light Gary #2001, Dark Gray #2002, Black #2003

A non-slip, non-skid aggregate coating suitable for steel, aluminum, masonry or wood surfaces. It contains a special aggregate combination which withstands rough weather conditions.

## Marine



### Old Sailor

- 10 Stock Colors
- Gloss Alkyd Enamel

This is an excellent marine enamel finish which withstands all types of wather conditions. The fully cured finish can withstand repeated washing and normal everyday abuse. It has proven its performance in topside use. Not for use under water line.



### SeaFin AquaSpar Gloss and Satin

- Interior/Exterior
- High Gloss & Satin Finishes
- Boats, Patio Furniture & Doors

Daly's **SeaFin AquaSpar** is a clear, protective, water-borne polyurethane, containing UVA (Ultraviolet Light Absorber). **AquaSpar** is non-flammable, contains no petroleum distillates, and forms a durable, non-toxic finish.



### SeaFin Teak Oil

- Interior/Exterior
- Brightwork
- Use on Doors, Rails & Furniture
- Wood Surfaces Exposed to Moisture
- Polishing Varnished Surfaces

Daly's **SeaFin Teak Oil** is a penetrating, hard-drying, low sheen oil finish, designed for sealing and finishing interior and exterior woods, especially teak on boats. It will not chip, crack, peel or blister when properly applied and maintained, thus reducing maintenance by eliminating scraping, sanding and refinishing. When used on teak or wood decks, **SeaFin Teak Oil** provides a durable non-slip surface to repel water and resist wear.



### SeaFin Super Spar Varnish (with UVA)

- Interior/Exterior
- High Gloss Finish
- Use on Boats, Patio Furniture & Doors
- Excellent Protection From Weathering

Daly's **SeaFin SuperSpar Varnish** is designed for marine and exterior surfaces such as boats, patio furniture, doors or surfaces where a clear gloss finish is desired. **SeaFin SuperSpar** with UVA (Ultraviolet Light Absorber) offers excellent protection from exterior elements such as salt air, sun, and water. **SeaFin SuperSpar Varnish** is also resistant to boiling water, hot lubricating oils, caustic soda, ammonia and sulfuric acid.



### SeaFin Ship n' Shore Sealer

- Interior/Exterior
- Waterproofing Sealer
- Helps Stabilize Wood
- Use on Siding, Decks & Hot Tub Areas
- Marine use on Decks & Ladders

Daly's **SeaFin Ship'n Shore** is a deeply penetrating wood waterproofing sealer. As it penetrates, **SeaFin Ship'n Shore** becomes an integral part of the cell structure, hardening the wood from 15% to 25%. **SeaFin Ship'n Shore** is practically colorless, odorless and nontoxic. Does not raise the grain and because of deep penetration, leaves no surface film to chip, crack, chalk, blister or peel. **SeaFin Ship'n Shore** is an excellent conditioner for wood surfaces such as siding, decks, handrails, cabins, hulls, masts and any area where paint or varnish is to be used.

## Solvents



### Synthetic Thinner

- 605
- Good for use as a solvent on various spray applications.

605 is an aromatic solvent used for thinning enamels where a fast setting and drying condition is necessary.



### Lacquer Thinner

- 610 Lacquer Thinner
- 

610 is designed for thinning lacquers and some selected paints where fast drying and setting are necessary.



### Mineral Spirits

- 602
- Good for oil based paint and enamel cleanup and thinning

602 Mineral Spirits is an aliphatic thinner used for thinning enamels and oil based paints where a slower drying condition is necessary; e.g., brushing paint on or as a retarder for too fast of a set.



### Paint Stripper

- 646
- May be Used on Metal, Wood & Glass

A fast acting paint stripper which contains no caustic, acid or flammable solvent. This product readily removes paint, varnish, lacquer, baked enamel and shellac safely from most surfaces.

## Specialty Products



### Zone Marking Paint - Oil & Latex

- Colors: 1070 White, 1071 Yellow, 1073 Black, 1074 Blue, 1076 Red
- May be used on Interior/Exterior Concrete

A fast-drying zone marking coating designed for use in high traffic areas on concrete, asphalt, or brick surfaces. It may also be used on interior surfaces of concrete, wood, or metal with the proper surface preparation and/or surface treatment. This product is excellent in areas where durability, fast dry and ease of application are desired.



### High Build Container Paint

- Color: X-7269 White, X-7251 Deep Base, X-7285 Neutral Base
- Direct to metal use

High Build Container Paint is a quality direct to metal, high build, fast drying satin acrylic enamel. It has many features such as improved adhesion, superior exterior durability, excellent hardness, good flexibility and good flow out and leveling for spraying.



### Ur Coat

- Clear Top Coat
- Non-Yellowing Acrylic-Aliphatic Urethane

A two component acrylic urethane finish designed for extra durability and resistance to strong abuse and use. Suitable for use on interior or exterior surfaces.

## Also Available



Farwest Paint Mfg Co 4522 S 133rd St, Tukwila, WA 98168 (206) 244-8844

View our catalog and other helpful articles online at [www.farwestpaint.com](http://www.farwestpaint.com)